Author Index

Abeles, M., see Nelken, I. (72) 206
Abeles, M., see Nelken, I. (72) 223
Abeles, M., see Nelken, I. (72) 237
Aoki, S., see Houtgast, T. (72) 29
Aran, J.-M., see Popelář, J. (72) 125
Axelsson, A., see Ryan, A.F. (72) 23

Bennett, T.M., see Ryan, A.F. (72) 23
Brock, M. and Henley, C.M.
Postnatal changes in cochlear polyamine metabolism in the rat (72) 37

Canlon, B., see Johnson, A.-C. (72) 189
Cazals, Y., see Popelář, J. (72) 125
Clark, G.M., see Shepherd, R.K. (72) 89
Coling, D.E., Naik, R.M. and Schacht, J.
Calcium and calmodulin inhibit phosphorylation of a novel auditory nerve protein (72) 197
Conlee, J.W., Gerity, L.C., Westenberg, I.S. and Creel, D.J.
Pigment-dependent differences in the stria vascularis of albino and pigmented guinea pigs and rats (72) 108
Creel, D.J., see Conlee, J.W. (72) 108
Cunningham, D., see Wataya, H. (72) 254

Decraemer, W.F. and Khanna, S.M.
Modelling the malleus vibration as a rigid body motion with one rotational and one translational degree of freedom (72) 1
Durrant, J.D., Martin, W.H., Hirsch, B. and Schwegler, J.
3CLT ABR analyses in a human subject with unilateral extirpation of the inferior colliculus (72) 99

Ehret, G., see Romand, R. (72) 53
Erre, J.-P., see Popelář, J. (72) 125

Feldman, M.L., see Hurd II, L.B. (72) 143

Gerity, L.C., see Conlee, J.W. (72) 108

Hakomori, S.-i., see Wataya, H. (72) 254
Handa, K., see Wataya, H. (72) 254
Heinrich, U.-R., see Maurer, J. (72) 135
Henley, C.M., see Brock, M. (72) 37
Hirning-Folz, U., see Romand, R. (72) 53
Hirsch, B., see Durrant, J.D. (72) 99
Hoffpauir, J., see Weaver, S.P. (72) 181
Houtgast, T. and Aoki, S.
Stimulus-onset dominance in the perception of binaural information (72) 29
Hozawa, K., see Wataya, H. (72) 254
Hurd II, L.B. and Feldman, M.L.
Purkinje-like cells in rat cochlear nucleus (72) 143

Johnson, A.-C. and Canlon, B.
Toluene exposure affects the functional activity of the outer hair cells (72) 189

Khanna, S.M., see Decraemer, W.F. (72) 1
Köppl, C. and Manley, G.A.
Spontaneous otoacoustic emissions in the bobtail lizard. II: Interactions with external tones (72) 159
Köppl, C., see Manley, G.A. (72) 171
Kössl, M.
Evidence for a mechanical filter in the cochlea of the 'constant frequency' bats, *Rhinolophus rouxi* and *Pteronotus parnellii* (72) 73
Kössl, M.
Otoacoustic emissions from the cochlea of the 'constant frequency' bats, *Pteronotus parnellii* and *Rhinolophus rouxi* (72) 59

Manley, G.A. and Köppl, C.
Spontaneous otoacoustic emissions in the bobtail lizard. III: Temperature effects (72) 171
Manley, G.A., see Köppl, C. (72) 159
Mann, W., see Maurer, J. (72) 135
Martin, W.H., see Durrant, J.D. (72) 99
Maurer, J., Heinrich, U.-R. and Mann, W.
Differences of inner and outer hair cells in the organ of Corti of the guinea pig in respect to the cellular content of precipitable calcium (72) 135

Naik, R.M., see Coling, D.E. (72) 197
Narins, P.M., see Velluti, R.A. (72) 19
Nelken, I., Prut, Y., Vaadia, E. and Abeles, M.
In search of the best stimulus: An optimization procedure for finding efficient stimuli in the cat auditory cortex (72) 237
Nelken, I., Prut, Y., Vaadia, E. and Abeles, M.
Population responses to multifrequency sounds in the cat auditory cortex: One- and two-parameter families of sounds (72) 206
Nelken, I., Prut, Y., Vaddia, E. and Abeles, M.
Population responses to multifrequency sounds in the cat auditory cortex: Four-tone complexes (72) 223

Pedemonte, M., see Velluti, R.A. (72) 19
Peña, J.L., see Velluti, R.A. (72) 19
Popelář, J., Erre, J.-P., Aran, J.-M. and Cazals, Y.
Plastic changes in ipsi-contralateral differences of auditory cortex and inferior colliculus evoked potentials after injury to one ear in the adult guinea pig (72) 125
Prut, Y., see Nelken, I. (72) 206
Prut, Y., see Nelken, I. (72) 223
Prut, Y., see Nelken, I. (72) 237

Romand, R., Hirning-Folz, U. and Ehret, G.
N-myc expression in the embryonic cochlea of the mouse (72) 53
Rubel, E.W., see Wataya, H. (72) 254
Ryals, B.M. and Westbrook, E.W.
TEM analysis of neural terminals on autoradiographically identified regenerated hair cells (72) 81
Ryan, A.F., Bennett, T.M., Woolf, N.K. and Axelsson, A.
Protection from noise-induced hearing loss by prior exposure to a nontraumatic stimulus: Role of the middle ear muscles (72) 23

Schacht, J., see Coling, D.E. (72) 197
Schwegler, J., see Durrant, J.D. (72) 99
Schweitzer, L., see Weaver, S.P. (72) 44
Schweitzer, L., see Weaver, S.P. (72) 181

Shepherd, R.K., Xu, S.A. and Clark, G.M.
Partial hearing loss in the macaque following the co-administration of kanamycin and ethacrynic acid (72) 89

Takasaka, T., see Wataya, H. (72) 254

Vaadia, E., see Nelken, I. (72) 205
Vaddia, E., see Nelken, I. (72) 223
Vaadia, E., see Nelken, I. (72) 237
Velluti, R.A., Peña, J.L., Pedemonte, M. and Narins, P.M.
Internally-generated sound stimulates cochlear nucleus units (72) 19

Wataya, H., Handa, K., Hozawa, K., Takasaka, T., Cunningham, D., Rubel, E.W. and Hakomori, S.-i.
A characteristic protein highly expressed in guinea pig inner ear, defined by monoclonal antibody WH-1 (72) 254
Weaver, S.P. and Schweitzer, L.
Development of gerbil outer hair cells after the onset of cochlear function: An ultrastructural study (72) 44
Weaver, S.P., Hoffpauir, J. and Schweitzer, L.
Distribution of actin in developing outer hair cells in the gerbil (72) 181
Westbrook, E.W., see Ryals, B.M. (72) 81
Westenberg, I.S., see Conlee, J.W. (72) 108
Woolf, N.K., see Ryan, A.F. (72) 23

Xu, S.A., see Shepherd, R.K. (72) 89

Subject Index

Acoustic nerve
Calcium; Calmodulin; Myristoylated alanine-rich C kinase substrate (MARCKS); Protein kinase; Protein phosphorylation (Coling, D.E. (72) 197)

Actin
Cochlea; Development; Hearing; Hair cells; Immunocytochemistry (Weaver, S.P. (72) 181)

Adult guinea pig
Evoked potentials; Auditory cortex; Inferior colliculus; Neural plasticity (Popelář, J. (72) 125)

Albinism
Cochlea; Inner ear; Melanocytes; Melanin (Conlee, J.W. (72) 108)

Aminoglycosides
Ototoxicity; Nephrotoxicity; Hearing loss; Loop diuretics; Deafness; Cochlear implants (Shepherd, R.K. (72) 89)

Auditory
Cochlear development; Gerbil; Outer hair cell; Subsurface cisternae (Weaver, S.P. (72) 44)

Auditory brainstem response
Auditory pathway; Central auditory pathology; Inferior colliculus; Three-channel Lissajous trajectory; Stereotactic radiosurgery (Durrant, J.D. (72) 99)

Cochlea; Distortion product otoacoustic emissions; Rats; Solvent; Hair cells (Johnson, A.-C. (72) 189)

Auditory cortex
Adult guinea pig; Evoked potentials; Inferior colliculus; Neural plasticity (Popelář, J. (72) 125)

Auditory pathway
Auditory brainstem response; Central auditory pathology; Inferior colliculus; Three-channel Lissajous trajectory; Stereotactic radiosurgery (Durrant, J.D. (72) 99)

Basilar membrane
Otoacoustic emmission, spontaneous and evoked; Distortion products; $2f_1-f_2$; Cochlear resonance; Echolocation (Kössl, M. (72) 59)

Distortion products; $2f_1-f_2$; Echolocation (Kössl, M. (72) 73)

Basilar papilla
Cochlea; SOAE; Frequency tuning; Suppression (Köppl, C. (72) 159)

Spontaneous otoacoustic emission; Lizard; Hearing; Temperature (Manley, G.A. (72) 171)

Binaural processing
Precedence effect; Sound localization; Lateralization; Spaciousness; Dichotic signals (Houtgast, T. (72) 29)

Bird
Hair cells; Regeneration; Neural (Ryals, B.M. (72) 81)

Calbindin D-28 kDa
Cochlear nucleus; Immunocytochemistry; Purkinje cells; Cartwheel cells (Hurd II, L.B. (72) 143)

Calcium
Organ of Corti; Hair cell; Electron spectroscopic imaging (ESI) (Maurer, J. (72) 135)

Acoustic nerve; Calmodulin; Myristoylated alanine-rich C kinase substrate (MARCKS); Protein kinase; Protein phosphorylation (Coling, D.E. (72) 197)

Calmodulin
Acoustic nerve; Calcium; Myristoylated alanine-rich C kinase substrate (MARCKS); Protein kinase; Protein phosphorylation (Coling, D.E. (72) 197)

Carotid occlusion
Cochlear nucleus; Spontaneous activity; Electrocardiogram; Internal sounds; Wakefulness (Velluti, R.A. (72) 19)

Cartwheel cells
Calbindin D-28 kDa; Cochlear nucleus; Immunocytochemistry; Purkinje cells (Hurd II, L.B. (72) 143)

Cat
Malleus; Vibration mode; Interferometer; Rigid body (Decraemer, W.F. (72) 1)

Primary auditory cortex; Complex sounds; Two-tone facilitation (Nelken, I. (72) 206)

Primary Auditory Cortex; Complex Sounds; Non-linear modeling (Nelken, I. (72) 223)

Primary auditory cortex; Complex sounds; Optimal stimuli (Nelken, I. (72) 237)

Central auditory pathology
Auditory brainstem response; Auditory pathway; Inferior colliculus; Three-channel Lissajous trajectory; Stereotactic radiosurgery (Durrant, J.D. (72) 99)

Cochlea
Ornithine decarboxylase; Polyamines; Development; Rat (Brock, M. (72) 37)

Albinism; Inner ear; Melanocytes; Melanin (Conlee, J.W. (72) 108)

SOAE; Frequency tuning; Suppression; Basilar papilla (Köppl, C. (72) 159)

Actin; Development; Hearing; Hair cells; Immunocytochemistry (Weaver, S.P. (72) 181)

Auditory brainstem response; Distortion product otoacoustic emissions; Rats; Solvent; Hair cells (Johnson, A.-C. (72) 189)

Cochlear development
Auditory; Gerbil; Outer hair cell; Subsurface cisternae (Weaver, S.P. (72) 44)

Cochlear implants
Ototoxicity; Nephrotoxicity; Hearing loss; Aminoglycosides; Loop diuretics; Deafness (Shepherd, R.K. (72) 89)

Cochlear nucleus
Spontaneous activity; Electrocardiogram; Internal sounds; Carotid occlusion; Wakefulness (Velluti, R.A. (72) 19)

Calbindin D-28 kDa; Immunocytochemistry; Purkinje cells; Cartwheel cells (Hurd II, L.B. (72) 143)

Cochlear resonance
Otoacoustic emmission, spontaneous and evoked; Distortion products; $2f_1-f_2$; Basilar membrane; Echolocation (Kössl, M. (72) 59)

Complex sounds
Primary auditory cortex; Two-tone facilitation; Cat (Nelken, I. (72) 206)

Primary auditory cortex; Optimal stimuli; Cat (Nelken, I. (72) 237)

Complex Sounds
Primary Auditory Cortex; Non-linear modeling; Cat (Nelken, I. (72) 223)

40 kDa Protein
Guinea pig cochlea; Tectorial membrane; Outer hair stereocilia; Kimura's membrane; Western blotting (Wataya, H. (72) 254)

Deafness
Ototoxicity; Nephrotoxicity; Hearing loss; Aminoglycosides; Loop diuretics; Cochlear implants (Shepherd, R.K. (72) 89)

Development
Ornithine decarboxylase; Polyamines; Cochlea; Rat (Brock, M. (72) 37)

Actin; Cochlea; Hearing; Hair cells; Immunocytochemistry (Weaver, S.P. (72) 181)

Dichotic signals
Precedence effect; Sound localization; Lateralization; Spaciousness; Binaural processing (Houtgast, T. (72) 29)

Distortion product otoacoustic emissions
Auditory brainstem response; Cochlea; Rats; Solvent; Hair cells (Johnson, A.-C. (72) 189)

Distortion products
Otoacoustic emmission, spontaneous and evoked; $2f_1-f_2$; Cochlear resonance; Basilar membrane; Echolocation (Kössl, M. (72) 59)

$2f_1-f_2$; Echolocation; Basilar membrane (Kössl, M. (72) 73)

Echolocation
Otoacoustic emmission, spontaneous and evoked; Distortion products; $2f_1-f_2$; Cochlear resonance; Basilar membrane (Kössl, M. (72) 59)

Distortion products; $2f_1-f_2$; Basilar membrane (Kössl, M. (72) 73)

Electrocardiogram
Cochlear nucleus; Spontaneous activity; Internal sounds; Carotid occlusion; Wakefulness (Velluti, R.A. (72) 19)

Electron spectroscopic imaging (ESI)
Organ of Corti; Hair cell; Calcium (Maurer, J. (72) 135)

Evoked potentials
Adult guinea pig; Auditory cortex; Inferior colliculus; Neural plasticity (Popelář, J. (72) 125)

$2f_1-f_2$
Otoacoustic emmission, spontaneous and evoked; Distortion products; Cochlear resonance; Basilar membrane; Echolocation (Kössl, M. (72) 59)

Distortion products; Echolocation; Basilar membrane (Kössl, M. (72) 73)

Frequency tuning
Cochlea; SOAE; Suppression; Basilar papilla (Köppl, C. (72) 159)

Gerbil
Noise trauma; Middle ear muscles; Pre-exposure (Ryan, A.F. (72) 23)

Auditory; Cochlear development; Outer hair cell; Subsurface cisternae (Weaver, S.P. (72) 44)

Guinea pig cochlea
Tectoriai membrane; Outer hair stereocilia; Kimura's membrane; Western blotting; 40 kDa Protein (Wataya, H. (72) 254)

Hair cell
Organ of Corti; Calcium; Electron spectroscopic imaging (ESI) (Maurer, J. (72) 135)

Hair cells
Bird; Regeneration; Neural (Ryals, B.M. (72) 81)

Actin; Cochlea; Development; Hearing; Immunocytochemistry (Weaver, S.P. (72) 181)

Auditory brainstem response; Cochlea; Distortion product otoacoustic emissions; Rats; Solvent (Johnson, A.-C. (72) 189)

Hearing
Spontaneous otoacoustic emission; Lizard; Temperature; Basilar papilla (Manley, G.A. (72) 171)

Actin; Cochlea; Development; Hair cells; Immunocytochemistry (Weaver, S.P. (72) 181)

Hearing loss
Ototoxicity; Nephrotoxicity; Aminoglycosides; Loop diuretics; Deafness; Cochlear implants (Shepherd, R.K. (72) 89)

Immunocytochemistry
Calbindin D-28 kDa; Cochlear nucleus; Purkinje cells; Cartwheel cells (Hurd II, L.B. (72) 143)

Actin; Cochlea; Development; Hearing; Hair cells (Weaver, S.P. (72) 181)

Inferior colliculus
Auditory brainstem response; Auditory pathway; Central auditory pathology; Three-channel Lissajous trajectory; Stereotactic radiosurgery (Durrant, J.D. (72) 99)

Adult guinea pig; Evoked potentials; Auditory cortex; Neural plasticity (Popelář, J. (72) 125)

Inner ear
N-myc; Proto-oncogene; Ontogenesis; Spiral ganglion; Köllikers organ (Romand, R. (72) 53)

Albinism; Cochlea; Melanocytes; Melanin (Conlee, J.W. (72) 108)

Interferometer
Malleus; Vibration mode; Cat; Rigid body (Decraemer, W.F. (72) 1)

Internal sounds
Cochlear nucleus; Spontaneous activity; Electrocardiogram; Carotid occlusion; Wakefulness (Velluti, R.A. (72) 19)

Kimura's membrane
Guinea pig cochlea; Tectorial membrane; Outer hair stereocilia; Western blotting; 40 kDa Protein (Wataya, H. (72) 254)

Köllikers organ
N-myc; Proto-oncogene; Inner ear; Ontogenesis; Spiral ganglion (Romand, R. (72) 53)

Lateralization
Precedence effect; Sound localization; Spaciousness; Dichotic signals; Binaural processing (Houtgast, T. (72) 29)

Lizard
Spontaneous otoacoustic emission; Hearing; Temperature; Basilar papilla (Manley, G.A. (72) 171)

Loop diuretics
Ototoxicity; Nephrotoxicity; Hearing loss; Aminoglycosides; Deafness; Cochlear implants (Shepherd, R.K. (72) 89)

Malleus
Vibration mode; Interferometer; Cat; Rigid body (Decraemer, W.F. (72) 1)

Melanin
Albinism; Cochlea; Inner ear; Melanocytes (Conlee, J.W. (72) 108)

Melanocytes
Albinism; Cochlea; Inner ear; Melanin (Conlee, J.W. (72) 108)

Middle ear muscles
Noise trauma; Pre-exposure; Gerbil (Ryan, A.F. (72) 23)

Myristoylated alanine-rich C kinase substrate (MARCKS)
Acoustic nerve; Calcium; Calmodulin; Protein kinase; Protein phosphorylation (Coling, D.E. (72) 197)

Nephrotoxicity
Ototoxicity; Hearing loss; Aminoglycosides; Loop diuretics; Deafness; Cochlear implants (Shepherd, R.K. (72) 89)

Neural
Bird; Hair cells; Regeneration (Ryals, B.M. (72) 81)

Neural plasticity
Adult guinea pig; Evoked potentials; Auditory cortex; Inferior colliculus (Popelář, J. (72) 125)

N-myc
Proto-oncogene; Inner ear; Ontogenesis; Spiral ganglion; Köllikers organ (Romand, R. (72) 53)

Noise trauma
Middle ear muscles; Pre-exposure; Gerbil (Ryan, A.F. (72) 23)

Non-linear modeling
Primary Auditory Cortex; Complex Sounds; Cat (Nelken, I. (72) 223)

Ontogenesis
N-myc; Proto-oncogene; Inner ear; Spiral ganglion; Köllikers organ (Romand, R. (72) 53)

Optimal stimuli
Primary auditory cortex; Complex sounds; Cat (Nelken, I. (72) 237)

Organ of Corti
Hair cell; Calcium; Electron spectroscopic imaging (ESI) (Maurer, J. (72) 135)

Ornithine decarboxylase
Polyamines; Cochlea; Development; Rat (Brock, M. (72) 37)

Otoacoustic emmission, spontaneous and evoked
Distortion products; $2f_1-f_2$; Cochlear resonance; Basilar membrane; Echolocation (Kössl, M. (72) 59)

Ototoxicity
Nephrotoxicity; Hearing loss; Aminoglycosides; Loop diuretics; Deafness; Cochlear implants (Shepherd, R.K. (72) 89)

Outer hair cell
Auditory; Cochlear development; Gerbil; Subsurface cisternae (Weaver, S.P. (72) 44)

Outer hair stereocilia
Guinea pig cochlea; Tectorial membrane; Kimura's membrane; Western blotting; 40 kDa Protein (Wataya, H. (72) 254)

Polyamines
Ornithine decarboxylase; Cochlea; Development; Rat (Brock, M. (72) 37)

Precedence effect
Sound localization; Lateralization; Spaciousness; Dichotic signals; Binaural processing (Houtgast, T. (72) 29)

Pre-exposure
Noise trauma; Middle ear muscles; Gerbil (Ryan, A.F. (72) 23)

Primary auditory cortex
Complex sounds; Two-tone facilitation; Cat (Nelken, I. (72) 206)

Complex sounds; Optimal stimuli; Cat (Nelken, I. (72) 237)

Primary Auditory Cortex
Complex Sounds; Non-linear modeling; Cat (Nelken, I. (72) 223)

Protein kinase
Acoustic nerve; Calcium; Calmodulin; Myristoylated alanine-rich C kinase substrate (MARCKS); Protein phosphorylation (Coling, D.E. (72) 197)

Protein phosphorylation
Acoustic nerve; Calcium; Calmodulin; Myristoylated alanine-rich C kinase substrate (MARCKS); Protein kinase (Coling, D.E. (72) 197)

Proto-oncogene
N-myc; Inner ear; Ontogenesis; Spiral ganglion; Köllikers organ (Romand, R. (72) 53)

Purkinje cells
Calbindin D-28 kDa; Cochlear nucleus; Immunocytochemistry; Cartwheel cells (Hurd II, L.B. (72) 143)

Rat
Ornithine decarboxylase; Polyamines; Cochlea; Development (Brock, M. (72) 37)

Rats
Auditory brainstem response; Cochlea; Distortion product otoacoustic emissions; Solvent; Hair cells (Johnson, A.-C. (72) 189)

Regeneration
Bird; Hair cells; Neural (Ryals, B.M. (72) 81)

Rigid body
Malleus; Vibration mode; Interferometer; Cat (Decraemer, W.F. (72) 1)

SOAE
Cochlea; Frequency tuning; Suppression; Basilar papilla (Köppl, C. (72) 159)

Solvent
Auditory brainstem response; Cochlea; Distortion product otoacoustic emissions; Rats; Hair cells (Johnson, A.-C. (72) 189)

Sound localization
Precedence effect; Lateralization; Spaciousness; Dichotic signals; Binaural processing (Houtgast, T. (72) 29)

Spaciousness
Precedence effect; Sound localization; Lateralization; Dichotic signals; Binaural processing (Houtgast, T. (72) 29)

Spiral ganglion
N-myc; Proto-oncogene; Inner ear; Ontogenesis; Köllikers organ (Romand, R. (72) 53)

Spontaneous activity
Cochlear nucleus; Electrocardiogram; Internal sounds; Carotid occlusion; Wakefulness (Velluti, R.A. (72) 19)

Spontaneous otoacoustic emission
Lizard; Hearing; Temperature; Basilar papilla (Manley, G.A. (72) 171)

Stereotactic radiosurgery
Auditory brainstem response; Auditory pathway; Central auditory pathology; Inferior colliculus; Three-channel Lissajous trajectory (Durrant, J.D. (72) 99)

Subsurface cisternae
Auditory; Cochlear development; Gerbil; Outer hair cell (Weaver, S.P. (72) 44)

Suppression
Cochlea; SOAE; Frequency tuning; Basilar papilla (Köppl, C. (72) 159)

Tectorial membrane
Guinea pig cochlea; Outer hair stereocilia; Kimura's membrane; Western blotting; 40 kDa Protein (Wataya, H. (72) 254)

Temperature
Spontaneous otoacoustic emission; Lizard; Hearing; Basilar papilla (Manley, G.A. (72) 171)

Three-channel Lissajous trajectory
Auditory brainstem response; Auditory pathway; Central auditory pathology; Inferior colliculus; Stereotactic radiosurgery (Durrant, J.D. (72) 99)

Two-tone facilitation
Primary auditory cortex; Complex sounds; Cat (Nelken, I. (72) 206)

Vibration mode
Malleus; Interferometer; Cat; Rigid body (Decraemer, W.F. (72) 1)

Wakefulness
Cochlear nucleus; Spontaneous activity; Electrocardiogram; Internal sounds; Carotid occlusion (Velluti, R.A. (72) 19)

Western blotting
Guinea pig cochlea; Tectorial membrane; Outer hair stereocilia; Kimura's membrane; 40 kDa Protein (Wataya, H. (72) 254)